

## CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents, Phys. Chem. Earth Sci., Life Sci.)

Capillary gas-chromatographic analysis of monosaccharides: improvements and comparisons using trifluoroacetylation and trimethylsilylation of sugar <i>O</i> -benzyl- and <i>O</i> -methyl-oximes M. A. ANDREWS (Upton, NY, U.S.A.) . . . . .	1
The composition and conformation of D-threo-3,4-hexodiulose in solution, and the X-ray crystal structure of its $\beta\beta$ anomer S. J. ANGYAL, D. C. CRAIG (Kensington, N.S.W., Australia), AND J. KUSZMANN (Budapest, Hungary) . . . . .	21
X-ray and conformational investigations of methyl 2,3-anhydro-2,3,4-trideoxy- $\beta$ -D-lyxo-hexopyranoside J. W. KRAJEWSKI, Z. URBAŃCZYK-LIPKOWSKA, P. GLUZIŃSKI, AND A. BANASZEK (Warsaw, Poland) . . . . .	31
Identification of <i>O</i> - $\alpha$ -D-galactopyranosylsaccharinic acids as their trimethylsilyl derivatives by mass spectrometry K. NIEMELÄ (Espoo, Finland) . . . . .	37
The side-chain conformation of <i>N</i> -acetyl-7-, 8-, 9-deoxy-, and -4,7-dideoxy-neuraminic acid and their effect on the activation of CTP: <i>N</i> -acylneuraminic acid cytidyl-transferase R. CHRISTIAN, E. SCHREINER, E. ZBIRAL, AND G. SCHULZ (Vienna, Austria) . . . . .	49
The crystal and molecular structure of phosphoenolpyruvic acid A. WEICHSEL, T. LIS, AND M. KUCZEK (Wrocław, Poland) . . . . .	63
Synthesis and liquid crystalline properties of the <i>n</i> -alkyl 1-thio- $\alpha$ -D-glucopyranosides, a new homologous series of carbohydrate mesogens H. A. VAN DOREN, R. VAN DER GEEST, R. M. KELLOG, AND H. WYNBERG (Groningen, The Netherlands) . . . . .	71
The crystal structure of heptyl 1-thio- $\alpha$ -D-glucopyranoside, a member of a new homologous series of mesogenic carbohydrate derivatives H. A. VAN DOREN, R. VAN DER GEEST, F. VAN BOLHUIS, R. M. KELLOG, AND H. WYNBERG (Groningen, The Netherlands) . . . . .	79
Syntheses of higher sugars by a new chain-elongation reaction K. PESEKE, H.-D. AMBROSI, AND M. MICHALIK (Rostock, G.D.R.) . . . . .	87
A highly stereocontrolled synthesis of the propyl glycoside of a decagalacturonic acid, a model compound for the endogenous phytoalexin elicitor-active oligogalacturonic acids Y. NAKAHARA AND T. OGAWA (Saitama, Japan) . . . . .	95
Synthesis of ( $\pm$ )-3-amino-2,4-dihydroxy-6-hydroxymethyl-8-oxabicyclo[3.2.1]octane derivatives, and their anhydro-ring-migration with hydrogen bromide-acetic acid S. OGAWA AND M. ORIHARA (Yokohama, Japan) . . . . .	115
An efficient, stereoselective synthesis of 4- <i>E</i> - and 4- <i>Z</i> -D-erythro-sphinganine and related compounds from 2-amino-2-deoxy-D-glucose T. SUGAWARA AND M. NARISADA (Osaka, Japan) . . . . .	125

(Continued overleaf)

(contents continued)

Steric course of the hydrolysis of $\alpha,\alpha$ -trehalose and $\alpha$ -D-glucosyl fluoride catalyzed by pig kidney trehalase M. NAKANO, C. F. BREWER, T. KASUMI, AND E. J. HEHRE (Bronx, NY, U.S.A.)	139
Synthesis of poly(acrylamide) copolymers containing 3,5-dideoxy-D-arabino-2-octulopyranosyl- onic acid (5-deoxy-Kdo) residues P. KOSMA, P. WALDSTÄTTEN, L. DAOUD, G. SCHULZ, AND F. M. UNGER (Vienna, Austria)	145
Stereoselective synthesis of 1,1-dialkyl-1-methoxymethyl glucosides (acetal-glucosides) L. F. TIETZE, R. FISCHER, M. LÖGERS, AND M. BELLER (Göttingen, F.R.G.)	155
Different reactivities of acetylated <i>exo</i> - and <i>endo</i> -cyanoethylidene derivatives in glycosylation reactions C. VICENTE, J.-M. COTERON, J. JIMENEZ-BARBERO, M. MARTIN-LOMAS, AND S. PENADES (Madrid, Spain)	163
Synthesis of some 3-alkoxycarbonyl-3-C-cyano-3-deoxyglycosides by the reaction of 1,5-di- aldehydes with cyanoesters F. SANTOYO GONZALEZ, F. HERNANDEZ MATEO, AND F. J. LOPEZ APARICIO (Granada, Spain)	171
Selective bromoacetylation of alkyl hexopyranosides: a facile preparation of intermediates for the synthesis of (1 $\rightarrow$ 6)-linked oligosaccharides T. ZIEGLER, P. KOVÁČ, AND C. P. J. GLAUDEMANS (Bethesda, MD, U.S.A.)	185
Chemical combination of 6-deoxy-6-mycoloylamino- $\alpha,\alpha$ -trehalose and <i>N</i> -acetyl-6- <i>O</i> -(aminoacyl)- muramoyl dipeptide H. ISHIDA, Y. OGAWA, Y. IMAI, M. KISO, A. HASEGAWA (Gifu, Japan), T. SAKURAI, AND I. AZUMA (Sapporo, Japan)	199
Studies of the synthesis of sugar phosphonates related to 3-deoxy-D-manno-2-octulosonic acid (Kdo) H. MOLIN, J.-O. NÖREN, AND A. CLAESSEN (Södertälje, Sweden)	209
Peracetylated chitobiose: preparation by specific degradations of chitin, and chemical manipula- tions S.-I. NISHIMURA, H. KUZUHARA (Wako, Japan), Y. TAKIGUCHI, AND K. SHIMAHARA (Tokyo, Japan)	223
Synthesis of "dihydrocarbose", an $\alpha$ -D-glucosidase inhibitor having a pseudo-tetrasaccharide structure M. HAYASHIDA, N. SAKAIRI, H. KUZUHARA (Wako, Japan), AND M. YAJIMA (Kyoto, Japan)	233
Production and partial characterization of the extracellular polysaccharides from oral <i>Strepto- coccus salivarius</i> H. EIFUKU, A. YOSHIMITSU-NARITA, S. SATO, T. YAKUSHIJI, AND M. INOUE (Kagoshima, Japan)	247
Enzymic and physicochemical properties of an <i>exo</i> -(1 $\rightarrow$ 3)- $\beta$ -D-glucanase from <i>Rhizoctonia solani</i> N. OHNO, I. NONO, AND T. YADOMAE (Tokyo, Japan)	261

Notes

Separation of malto-oligosaccharide derivatives by capillary supercritical fluid chromatography and supercritical fluid chromatography-mass spectrometry T. L. CHESTER, J. D. PINKSTON, AND G. D. OWENS (Cincinnati, OH, U.S.A.)	273
--	-----

(Continued on facing page)

(contents continued)

Structure determination of three neutral oligosaccharides obtained from horse colostrum T. URASHIMA, T. SAKAMOTO, H. ARIGA (Hokkaido, Japan), AND T. SAITO (Sendai, Japan) . . . . .	280
A $^{13}\text{C}$ spin-lattice relaxation study of solvent effects on the rotational dynamics of methyl glucosides P. DAIS (Crete, Greece) AND A. S. PERLIN (Montreal, Que., Canada) . . . . .	288
MM2 calculation of the chair-boat equilibrium of 1,6-anhydro- $\beta$ -D-glucopyranose A. J. J. STRAATHOF, A. VAN ESTRICK, A. P. G. KIEBOOM, J. M. A. BAAS, AND B. VAN DE GRAAF (Delft, The Netherlands) . . . . .	296
A mild and rapid conversion of sugar dithioacetals into the corresponding dimethyl acetals by <i>N</i> -bromosuccinimide-methanol D. MILJKOVIC, M. POPSAVIN, V. POPSAVIN, N. VUKOJEVIC (Novi Sad, Yugoslavia), J. HARANGI (Debrecen, Hungary), AND M. MAK (Budapest, Hungary) . . . . .	300
A kinetic study of the solvolysis of 1,6-dibromo-1,6-dideoxygalactitol (Mitolactol) K. HORVÁTH, L. INSTITTÓRIS, AND E. GÁCS-BAITZ (Budapest, Hungary) . . . . .	305
The regioselectivity of the dibutylstannylene-mediated alkylation of $\alpha,\alpha$ -trehalose derivatives C. VICENT, M. MARTIN-LOMAS, AND S. PENADES (Madrid, Spain) . . . . .	308
Isolation and preliminary characterization of fucose-containing sulfated polysaccharides with blood-anticoagulant activity from the brown seaweed <i>Hizikia fusiforme</i> K. DOBASHI, T. NISHINO, M. FUJIHARA, AND T. NAGUMO (Kanagawa, Japan) . . . . .	315
Substrate specificity of naringinase, an $\alpha$ -L-rhamnosidase from <i>Penicillium decumbens</i> F. MICHON, V. POZSGAY, J.-R. BRISSON, AND H. J. JENNINGS (Ottawa, Ont., Canada) . . . . .	321
<i>Preliminary communications</i>	
Synthesis of C-4 branched-chain furanoses by free radical-mediated cyclization K. S. KIM, J. H. KIM, Y. K. KIM, Y. S. PARK, AND C. S. HAHN (Seoul, Korea) . . . . .	c1
Double asymmetric induction in the catalytic osmylation of some $\alpha,\beta$ -unsaturated octuronic acid derivatives J. S. BRIMACOMBE AND G. McDONALD (Dundee, Gt. Britain) . . . . .	c4
Elucidation of the host-guest geometrical relationship in a branched cyclomaltohexaose inclusion complex by measurement of the intermolecular nuclear Overhauser effects in the rotating frame Y. INOUE, Y. KANDA, Y. YAMAMOTO, R. CHŪJŌ (Tokyo, Japan), AND S. KOBAYASHI (Ibaraki, Japan) . . . . .	c8
Synthesis of the 4-acetamido-4-deoxy analogue of <i>N</i> -acetylneuraminic acid and its behaviour towards CMP-sialate synthase E. ZBIRAL, E. SCHREINER, AND R. CHRISTIAN . . . . .	c15
<i>Book review</i> . . . . .	c19
<i>Author index</i> . . . . .	c23
<i>Subject index</i> . . . . .	c25



